ELSEVIER

Brain Research 812 (1998) 305–306

BRAIN RESEARCH

Author Index

Akiyama, A., see Nakazato, T. (812) 150
Alain, C., Woods, D.L. and Knight, R.T.
A distributed cortical network for auditory sensory memory in humans (812) 23
Alcocer, I., see Escobar, M.L. (812) 246
Amat, J., Matus-Amat, P., Watkins, L.R. and Maier, S.F.
Escapable and inescapable stress differentially alter extracellular levels of 5-HT in the basolateral amygdala of the rat (812) 113
Andreasen, A., see Sørensen, J.C. (812) 265
Anzelius, M., see Ekström, P. (812) 179
Arai, R., Horiike, K. and Hasegawa, Y.
Dopamine-degrading activity of monoamine oxidase is not detected by histochemistry in neurons of the substantia nigra pars compacta of the rat (812) 275
Asai, T., see Ikeda, H. (812) 81

Baran, A., see Janeczko, K. (812) 172
Ben-Ari, Y., see Chevassus-au-Louis, N. (812) 252
Benarroch, E.E. and Schmeichel, A.M.
Immunohistochemical localization of the angiotensin II type 1 receptor in human hypothalamus and brainstem (812) 292
Boujrad, F., Dauphin, F. and De Beaurepaire, R.
Calcitonin increases 5-HT1A binding site densities in the brain of adrenalectomized rats (812) 279

Chao, V., see Escobar, M.L. (812) 246
Chen, J., see Sinor, A.D. (812) 289
Chevassus-au-Louis, N., Ben-Ari, Y. and Vergnes, M.
Decreased seizure threshold and more rapid rate of kindling in rats with cortical malformation induced by prenatal treatment with methylazoxymethanol. (812) 252
Chowdhury, S.I., see Weiss, M.L. (812) 227
Chudler, E.H.
Response properties of neurons in the caudate–putamen and globus pallidus to noxious and non-noxious thermal stimulation in anesthetized rats (812) 283
Cobbs, C.S., see Sinor, A.D. (812) 289
Collins, J.G., see Yanagidani, T. (812) 301
Cooper, J.D., see Panni, M.K. (812) 76
Corbett, W., see Javaheri, S. (812) 91
Croll, S.D., Ip, N.Y., Lindsay, R.M. and Wiegand, S.J.
Expression of BDNF and trkB as a function of age and cognitive performance (812) 200
Cross, R.S., see Levant, B. (812) 193

Dauphin, F., see Boujrad, F. (812) 279
Daw, N.W., see Wang, X.-F. (812) 186
De Beaurepaire, R., see Boujrad, F. (812) 279
Diano, S., Kalra, S.P., Sakamoto, H. and Horvath, T.L.
Leptin receptors in estrogen receptor-containing neurons of the female rat hypothalamus (812) 256
Do, D., see Sánchez, M.M. (812) 38
Drucker-Colín, R., see Murillo-Rodríguez, E. (812) 270
Duncan, G.E., Leipzig, J.N., Mailman, R.B. and Lieberman, J.A.
Differential effects of clozapine and haloperidol on ketamine-induced brain metabolic activation (812) 65

Ekström, P. and Anzelius, M.
GABA and GABA-transporter (GAT-1) immunoreactivities in the retina of the salmon (*Salmo salar* L.) (812) 179
Elmér, E., see Uchino, H. (812) 216
Escobar, M.L., Alcocer, I. and Chao, V.
The NMDA receptor antagonist CPP impairs conditioned taste aversion and insular cortex long-term potentiation in vivo. (812) 246

Gall, C.M., see Hoffman, K.B. (812) 209
Graham, S.H., see Sinor, A.D. (812) 289
Greenberg, D.A., see Sinor, A.D. (812) 289

Hasegawa, Y., see Arai, R. (812) 275
He, Q.-P., see Uchino, H. (812) 216
Hearn, E.F., see Sánchez, M.M. (812) 38
Herndon, J.G., see Sánchez, M.M. (812) 38
Hikichi, N., see Yamakami, J. (812) 105
Hoffman, K.B., Pinkstaff, J.K., Gall, C.M. and Lynch, G.
Seizure induced synthesis of fibronectin is rapid and age dependent: implications for long-term potentiation and sprouting (812) 209
Horiike, K., see Arai, R. (812) 275
Horvath, T.L., see Diano, S. (812) 256
Huston, J.P., see Thiel, C.M. (812) 121

Ikeda, H., Ryu, P.-D., Park, J.-B., Tanifuji, M., Asai, T. and Murase, K.
Optical responses evoked by single-pulse stimulation to the dorsal root in the rat spinal dorsal horn in slice (812) 81

Illes, P., see Pissarek, M. (812) 164
Ip, N.Y., see Croll, S.D. (812) 200
Irvin, S.M., see Sinor, A.D. (812) 289

Jacques, D.B., see Olds, M.E. (812) 50
Jan, C.-R., see Wu, S.-N. (812) 133
Janeczko, K., Setkowicz, Z. and Baran, A.
Opposite trends of changes in reactive behaviours of macrophages and astrocytes following gamma-irradiation performed at different stages of prenatal development. A study in the injured brain of 6-day-old rat (812) 172
Javaheri, S. and Corbett, W.
Ethanol is a potent inhibitor of canine cerebrospinal fluid production: an acute and reversible effect (812) 91
Jin, X.-t., see Wang, X.-F. (812) 186
Johansson, B.B., see Sørensen, J.C. (812) 265

Kalra, S.P., see Diano, S. (812) 256
Kataoka, K., see Si, Q. (812) 97
Kim, J.-H., see Meeker, D. (812) 260
Kiyatkin, E.A. and Rebec, G.V.
Ascorbate modulates glutamate-induced excitations of striatal neurons (812) 14
Knight, R.T., see Alain, C. (812) 23
Kopyov, O., see Olds, M.E. (812) 50
Krauss, G.-J., see Pissarek, M. (812) 164
Kulkarni, S.K., see Ninan, I. (812) 157

Leipzig, J.N., see Duncan, G.E. (812) 65
Levant, B., Cross, R.S. and Pazdernik, T.L.
Alterations in local cerebral glucose utilization produced by D_3 dopamine receptor-selective doses of 7-OH-DPAT and nafadotride (812) 193
Li, H.-F., see Wu, S.-N. (812) 133
Li, P.-A., see Uchino, H. (812) 216
Lieberman, J.A., see Duncan, G.E. (812) 65
Lindsay, R.M., see Croll, S.D. (812) 200
Lynch, G., see Hoffman, K.B. (812) 209

Maeda, K., see Yamakami, J. (812) 105
Maier, S.F., see Amat, J. (812) 113
Mailman, R.B., see Duncan, G.E. (812) 65
Martínez-González, D., see Murillo-Rodríguez, E. (812) 270
Mattsson, B., see Sørensen, J.C. (812) 265
Matus-Amat, P., see Amat, J. (812) 113
Meeker, D., Kim, J.-H. and Vezina, P.
Depletion of dopamine in the nucleus accumbens prevents the generation of locomotion by metabotropic glutamate receptor activation (812) 260

Miyazaki, M., see Nakanishi, H. (812) 142
Müller, M. and Somjen, G.G.
Inhibition of major cationic inward currents prevents spreading depression-like hypoxic depolarization in rat hippocampal tissue slices (812) 1
Murase, K., see Ikeda, H. (812) 81
Murillo-Rodríguez, E., Sánchez-Alavez, M., Navarro, L., Martínez-González, D., Drucker-Colín, R. and Prospéro-García, O.
Anandamide modulates sleep and memory in rats (812) 270

Nakamura, Y., see Si, Q. (812) 97
Nakanishi, H., Miyazaki, M., Takai, N., Wang, H.-D., Yamamoto, T., Watanabe, S. and Yamamoto, K.
Hyperexcitability of amygdala neurons of Senescence-Accelerated Mouse revealed by electrical and optical recordings in an in vitro slice preparation (812) 142
Nakazato, T. and Akiyama, A.
Differential time courses of exogenous 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine and its metabolite MPP^+ in the rat striatum and nucleus accumbens measured using in vivo voltammetry (812) 150
Navarro, L., see Murillo-Rodríguez, E. (812) 270
Ninan, I. and Kulkarni, S.K.
Dopamine receptor sensitive effect of dizocilpine on feeding behaviour (812) 157
Nishizaki, T. and Sumikawa, K.
Effects of PKC and PKA phosphorylation on desensitization of nicotinic acetylcholine receptors (812) 242

Ogata, T., see Si, Q. (812) 97
Olds, M.E., Jacques, D.B. and Kopyov, O.
Globus pallidus lesions depress the excitatory responses to apomorphine but not amphetamine in the subthalamic nucleus of the behaving rat with a 6-OHDA nigra lesion (812) 50
O'Regan, M.H., see Phillis, J.W. (812) 297
Ota, K., see Yanagidani, T. (812) 301

Panni, M.K., Cooper, J.D. and Sofroniew, M.V.
Ganglioside GM1 potentiates NGF action on axotomised medial septal cholinergic neurons (812) 76
Park, J.-B., see Ikeda, H. (812) 81
Pazdernik, T.L., see Levant, B. (812) 193
Phillis, J.W., O'Regan, M.H. and Song, D.
5-(*N*-Ethyl-*N*-isopropyl)-amiloride inhibits amino acid release from the ischemic rat cerebral cortex: role of Na^+–H^+ exchange (812) 297
Pinkstaff, J.K., see Hoffman, K.B. (812) 209
Pissarek, M., Reichelt, C., Krauss, G.-J. and Illes, P.
Tolbutamide attenuates diazoxide-induced aggravation of hypoxic cell injury (812) 164
Prospéro-García, O., see Murillo-Rodríguez, E. (812) 270

Rebec, G.V., see Kiyatkin, E.A. (812) 14
Reichelt, C., see Pissarek, M. (812) 164
Rilling, J.K., see Sánchez, M.M. (812) 38
Ryu, P.-D., see Ikeda, H. (812) 81

Sakamoto, H., see Diano, S. (812) 256
Sakurada, T., see Yamakami, J. (812) 105
Sakurai, E., see Yamakami, J. (812) 105
Sánchez-Alavez, M., see Murillo-Rodríguez, E. (812) 270
Sánchez, M.M., Hearn, E.F., Do, D., Rilling, J.K. and Herndon, J.G.
Differential rearing affects corpus callosum size and cognitive function of rhesus monkeys (812) 38
Schmeichel, A.M., see Benarroch, E.E. (812) 292
Schubert, P., see Si, Q. (812) 97
Schwarting, R.K.W., see Thiel, C.M. (812) 121
Setkowicz, Z., see Janeczko, K. (812) 172
Si, Q., Nakamura, Y., Ogata, T., Kataoka, K. and Schubert, P.
Differential regulation of microglial activation by propentofylline via cAMP signaling (812) 97
Siesjö, B.K., see Uchino, H. (812) 216
Sinor, A.D., Irvin, S.M., Cobbs, C.S., Chen, J., Graham, S.H. and Greenberg, D.A.
Hypoxic induction of vascular endothelial growth factor (VEGF) protein in astroglial cultures (812) 289
Smith, M.-L., see Uchino, H. (812) 216
Sofroniew, M.V., see Panni, M.K. (812) 76
Somjen, G.G., see Müller, M. (812) 1
Song, D., see Phillis, J.W. (812) 297
Sørensen, J.C., Mattsson, B., Andreasen, A. and Johansson, B.B.
Rapid disappearance of zinc positive terminals in focal brain ischemia (812) 265
Sumikawa, K., see Nishizaki, T. (812) 242

Takai, N., see Nakanishi, H. (812) 142
Tanifuji, M., see Ikeda, H. (812) 81
Thiel, C.M., Huston, J.P. and Schwarting, R.K.W.
Cholinergic activation in frontal cortex and nucleus accumbens related to basic behavioral manipulations: handling, and the role of post-handling experience (812) 121

Uchino, H., Elmér, E., Uchino, K., Li, P.-A., He, Q.-P., Smith, M.-L. and Siesjö, B.K.
Amelioration by cyclosporin A of brain damage in transient forebrain ischemia in the rat (812) 216
Uchino, K., see Uchino, H. (812) 216

Vergnes, M., see Chevassus-au-Louis, N. (812) 252
Vezina, P., see Meeker, D. (812) 260

Wang, H.-D., see Nakanishi, H. (812) 142
Wang, X.-F., Daw, N.W. and Jin, X.-t.
The effect of ACPD on the responses to NMDA and AMPA varies with layer in slices of rat visual cortex (812) 186
Watanabe, S., see Nakanishi, H. (812) 142
Watkins, L.R., see Amat, J. (812) 113
Weiss, M.L. and Chowdhury, S.I.
The renal afferent pathways in the rat: a pseudorabies virus study (812) 227
Wiegand, S.J., see Croll, S.D. (812) 200
Woods, D.L., see Alain, C. (812) 23
Wu, S.-N., Li, H.-F. and Jan, C.-R.
Regulation of Ca^{2+}-activated nonselective cationic currents in rat pituitary GH_3 cells: involvement in L-type Ca^{2+} current (812) 133

Yamakami, J., Sakurai, E., Sakurada, T., Maeda, K. and Hikichi, N.
Stereoselective blood-brain barrier transport of histidine in rats (812) 105
Yamamoto, K., see Nakanishi, H. (812) 142
Yamamoto, T., see Nakanishi, H. (812) 142
Yanagidani, T., Ota, K. and Collins, J.G.
Complex effects of general anesthesia on sensory processing in the spinal dorsal horn (812) 301